

Kako da podesim e-mail klijent?

Microsoft Outlook 2010 i 2013



KAKO DA PODESIM E-MAIL KLIJENT? MICROSOFT OUTLOOK 2010 I 2013

Microsoft Office Outlook je program za rad sa elektronskom poštom. Služi prvenstveno za slanje i primanje elektronske pošte. Podržava protokole **POP3**, **SMTP, IMAP, HTTP.** Pored osnovnih funkcija poseduje i opcije kao što su: adresar, kreiranje foldera, kalendar...

Podešavanje e-mail klijenta se vrši na sledeći način:

SBB

net.

- 1. U glavnom meniju odaberi File a zatim iznad opcije Account Settings klikni na Add Account

 Image: Internet internet
- 2. Odaberi Manually configure server settings or additional server types i klikni na Next



 Na sledećoj strani pod nazivom Choose Service odaberi Internet E-mail i klikni na Next

Enternet L-mail Connect to POP or POP server to send and receive e-mail res	clages .
Connect and access a wall messages, calendar, contacts, fail	es and voce mail messages.
Treyt Messaging (SMS)	
C (there	
Connect to a server type (hown below) [Figure Ptat Transport]	
	- C.

- **4.** Na narednom ekranu potrebno je da popuniš sledeće:
 - User Information
 - o **Your Name:** unesi ime pod kojim će e-mail poruka biti poslata
 - o E-mail Address: unesi e-mail adresu
 - Server Information
 - Account Type: iz padajućeg menija odaberi POP3 ili IMAP
 - o Incoming mail server unesi:
 - * Ukoliko si izabrao POP pop3.sbb.rs
 - * Ukoliko si izabrao IMAP imap.sbb.rs
 - Outgoing mail server (SMTP): smtp.sbb.rs
 - Logon Information
 - o User Name: unesi korisničko ime
 - o Password: unesi lozinku za e-mail nalog

Ukoliko želiš da Outlook zapamti šifru, potrebno je da čekiraš opciju **Remember password**



KAKO DA PODESIM E-MAIL KLIJENT? MICROSOFT OUTLOOK 2010 I 2013



- Na dnu strane klikni na More Settings, a zatim popuniti polja za Internet E-Mail Settings na sledeći način:
 - Outgoing Server: čekiraj My outgoing server (SMTP) requires authentication

eneral	Outgoing Server	Connection	Advanced	
7 Му д	utgoing server (SM	TP) requires a	uthentication	
<u> </u>	se same settings a	s my incoming	mail server	
OL	og on using			21
L	lser <u>N</u> ame:			
P	assword:			
	Re	member pass/	vord	
E	Reguire Secure I	assword Auth	nentication (5PA)	
© La	og on to incoming n	nail server bef	ore sending mail	
- Ac	dvanced:			
0 I I	ncoming ser	ver (POP	3/IMAP) pod st	avkom

prazno polje obzirom da **SSL** nije podržan.

Podešavanje za polje port u tom slučaju:

- o Port:
 - * POP 110
 - * IMAP 143
- Outgoing Server: pod stavkom Use the following type of encrypted connection odabrati None iz padajućeg menije (SSL nije podržan).

Podešavanje za polje port u tom slučaju:

- o None:
 - * SMTP 587

Klikom na OK potvrdi podešavanja

General Outgoing Server	Connection	Advanced	
Server Port Numbers			
Incoming server (POP3):	110	Use Defaults]
This server require	s an <u>e</u> ncryp	ted connection	(55L)
Qutgoing server (SMTP):	587		
Use the following type	of engrypt	ed connection:	None
Server Timeouts	19701090		
Short	Long 1 mi	nute	
Delivery			
Leave a copy of messa	iges on the	server	
Remove from serve	er after	14 🚖 days	F
Remove from serve	er when del	eted from 'Delet	ed Items'
		OK	Cancel
		the second se	

mail serveru, pod odeljkom **Delivery** izaberi **Leave a copy of messages on the server.** Ukoliko ne označiš ovu opciju, sve poruke će pri preuzimanju biti obrisane sa servera i sačuvane lokalno na računaru.